

Preventive Services for Adults

1. Abdominal Aortic Aneurysm one-time screening for men of specified ages who have ever smoked;
2. Alcohol Misuse screening and counseling;
3. Aspirin use for men and women of certain ages;
4. Blood Pressure screening for all adults;
5. Cholesterol screening for adults of certain ages or at higher risk;
6. Colorectal Cancer screening for adults over 50;
7. Depression screening for adults;
8. Type 2 Diabetes screening for adults with high blood pressure;
9. Diet counseling for adults at higher risk for chronic disease;
10. HIV screening for all adults at higher risk;
11. Immunization vaccines for adults--doses, recommended ages, and recommended populations vary:
 - Hepatitis A
 - Hepatitis B
 - Herpes Zoster
 - Human Papillomavirus
 - Influenza (Flu Shot)
 - Measles, Mumps, Rubella
 - Meningococcal
 - Pneumococcal
 - Tetanus, Diphtheria, Pertussis
 - Varicella
12. Obesity screening and counseling for all adults;
13. Sexually Transmitted Infection (STI) prevention counseling for adults at higher risk;
14. Tobacco Use screening for all adults and cessation interventions for tobacco users; and
15. Syphilis screening for all adults at higher risk.

Preventive Services for Children

1. Alcohol and drug use assessments for adolescents;
2. Autism screening for Children at 18 and 24 months;
3. Behavioral assessments for Children of all ages (ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years);
4. Blood Pressure screening for Children (ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years);
5. Cervical Dysplasia screening for sexually active females;
6. Congenital Hypothyroidism screening for newborns;
7. Depression screening for adolescents;
8. Developmental screening for Children under age 3, and surveillance throughout childhood;
9. Dyslipidemia screening for Children at higher risk of lipid disorders (ages: 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years);
10. Fluoride Chemoprevention supplements for Children without fluoride in their water source;
11. Gonorrhea preventive medication for the eyes of all newborns;
12. Hearing screening for all newborns;
13. Height, Weight and Body Mass Index measurements for children (ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years);
14. Hematocrit or Hemoglobin screening for Children;
15. Hemoglobinopathies or sickle cell screening for newborns;
16. HIV screening for adolescents at higher risk;
17. Immunization vaccines for Children from birth to age 18 - doses, recommended ages, and recommended populations vary:
 - Diphtheria, Tetanus, Pertussis
 - Haemophilus influenzae type b
 - Hepatitis A
 - Hepatitis B
 - Human Papillomavirus
 - Inactivated Poliovirus
 - Influenza (Flu Shot)
 - Measles, Mumps, Rubella
 - Meningococcal
 - Pneumococcal
 - Rotavirus
 - Varicella
18. Iron supplements for Children ages 6 to 12 months at risk for anemia;
19. Lead screening for children at risk of exposure;
20. Medical History for all children throughout development (ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years);
21. Obesity screening and counseling;
22. Oral Health risk assessment for young Children (ages: 0 to 11 months, 1 to 4 years, 5 to 10 years);
23. Phenylketonuria (PKU) screening for this genetic disorder in newborns;
24. Sexually Transmitted Infection (STI) prevention counseling and screening for adolescents at higher risk;
25. Tuberculin testing for children at higher risk of tuberculosis (ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years); and
26. Vision screening for all Children.

**Preventive Care for Women
(including Pregnant Women)**

1. Anemia screening on a routine basis for pregnant women;
2. Bacteriuria urinary tract or other infection screening for pregnant women;
3. BRCA counseling about genetic testing for women at higher risk;
4. Breast Cancer Mammography screenings every 1 to 2 years for women over 40;
5. Breast Cancer Chemoprevention counseling for women at higher risk;
6. Breastfeeding comprehensive support and counseling from trained providers, as well as access to breastfeeding supplies, for pregnant and nursing women;
7. Cervical Cancer screening for sexually active women;
8. Chlamydia Infection screening for younger women and other women at higher risk;
9. Contraception: Food and Drug Administration-approved contraceptive methods, sterilization procedures, and patient education and counseling, not including abortifacient drugs;
10. Domestic and interpersonal violence screening and counseling for all women;
11. Folic Acid supplements for women who may become pregnant;
12. Gestational diabetes screening for women 24 to 28 weeks pregnant and those at high risk of developing gestational diabetes;
13. Gonorrhea screening for all women at higher risk;
14. Hepatitis B screening for pregnant women at their first prenatal visit;
15. Human Immunodeficiency Virus (HIV) screening and counseling for sexually active women;
16. Human Papillomavirus (HPV) DNA Test: high risk HPV DNA testing every three years for women with normal cytology results who are 30 or older;
17. Osteoporosis screening for women over age 60 depending on risk factors;
18. Rh Incompatibility screening for all pregnant women and follow-up testing for women at higher risk;
19. Tobacco Use screening and interventions for all women, and expanded counseling for pregnant tobacco users;
20. Sexually Transmitted Infections (STI) counseling for sexually active women;
21. Syphilis screening for all pregnant women or other women at increased risk; and
22. Well-woman visits to obtain recommended preventive services.